



Installation Materials

HUAWEI TECHNOLOGIES CO., LTD.



Model	Description	Function	Configuration Principle
LT1PCOTMDC00	CPRI Optical Transmission Materials (Single-mode, 9.8 Gbit/s)	Single-mode optical transmission material package for RRUs with a 9.8 Gbit/s CPRI port rate	<ul style="list-style-type: none"> When using a 9.8 Gbit/s data rate, each CPRI port on an RRU is configured with one package. This package contains only single-mode fiber optic cables and optical modules. <p>This package applies to a BTS3900/BTS3900L/BTS3900A/BTS3900AL/DBS3900.</p>

1) RRU CPRI installation material packages

Model	Description	Function	Configuration Principle
A000GPS04	GPS Antenna/Feeder Package	GPS antenna/feeder package	One package is configured when a GPS antenna is required

2) Auxiliary materials on a DBS3900 site

Model	Description	Function	Maximum Quantity	Configuration Principle
WD5P0INSMT03	Installation Materials for DBS3900	Installation materials	1	Each distributed site must be configured with one package. The package includes installation auxiliary materials.

3) Material Packages for DBS3900 Installation

An FE/GE fiber optic cable transmits optical signals between the BBU and the transmission equipment.

Model	Description
LT1PCOTMDC00	Optical Transceiver,SFP+,1310nm,9.8G,-8.2dBm~+0.5dBm,-10.3dBm,LC,SM,1.4km
eSFP-850nm-1000Base-Sx/FC200 MM	Optical Transceiver,eSFP,850nm,2.125Gb/s(Multi rate) ,-9.5~-2.5dBm,-17dBm,LC,MM,0.5km